### Overview

This page contains the deployment instructions to force **the Connect Application** on Licensed Servers

### Deployment Steps

#### Backup

Take backup of AddInInfo.xml from <CONNECT_HOME>/appserv/common/AddInInfo.xml on Application Server.

#### Update addininfo.xml

1. Open the AddInInfo.xml file on the path: <CONNECT_HOME>/appserv/common/AddInInfo.xml. As shown below,

```
<messages>
<m id="canDownloadAddIn" platform="Windows">6,0,79,0</m>
 <m id="canDownloadAddIn" platform="Mac OS 10">6,0,79,0</m>
 <m id="addInVersion" platform="Windows">11,9,979,0</m>
 <m id="addInVersion" platform="Mac OS 10">11,9,979,0</m>
 <m id="addInName">adobeconnectaddin</m>
 <m id="oldAddInName">connectaddin</m>
 <m id="addInLocation" platform="Windows">default</m>
 <m id="addInLocation" platform="Mac OS 10">default</m>
 <m id="CEFPackageLocation" platform="Windows">
 http://download.adobe.com/pub/connect/updaters/cef/11_9_974_205/win/CefPackage.zip</m>
 <m id="CEFPackageLocation" platform="Mac OS 10">
 http://download.adobe.com/pub/connect/updaters/cef/11_9_974_205/mac/cefadobeconnect.zip</
 <m id="CEFPackageVersion" platform="Windows">0,0,1</m>
 <m id="CEFPackageVersion" platform="Mac OS 10">0,0,1</m>
 </messages>
```

2. Update the file to the below values (changes marked in RED)

<messages>
<m id="canDownloadAddIn" platform="Windows">6,0,79,0</m>
<m id="canDownloadAddIn" platform="Mac OS 10">6,0,79,0</m>
<m id="addInVersion" platform="Windows">11,9,982,0</m>
<m id="addInVersion" platform="Mac OS 10">11,9,982,0</m>
<m id="addInName">adobeconnectaddin</m>
<m id="oldAddInName">connectaddin</m>
<m id="addInLocation" platform="Windows">default</m>
<m id="addInLocation" platform="Mac OS 10">default</m>
<m id="CEFPackageLocation"
platform="Windows">http://download.adobe.com/pub/connect/updaters/cef/11_9_974_205/win/CefPackage.zip</m
<m id="CEFPackageLocation" platform="Mac OS
10">http://download.adobe.com/pub/connect/updaters/cef/11_9_974_205/mac/cefadobeconnect.zip</m>

```
<m id="CEFPackageVersion" platform="Windows">0,0,1</m>
<m id="CEFPackageVersion" platform="Mac OS 10">0,0,1</m>
</messages>
```

3. **For locked down environments only with no/limited access to the internet:**

   **a. Download the Connect Addin Installers:**

   Download the ConnectSetup.exe from the GoURL (www.adobe.com/go/ConnectAppStandaloneSetup) and paste the downloaded ConnectSetup.exe file at: <CONNECT_HOME>\appserv\common\addin\ folder
   Download the AdobeConnect_982.437.dmg from the GoURL (www.adobe.com/go/ConnectSetupMac) and paste the downloaded dmg file at: <CONNECT_HOME>\appserv\common\addin\ folder

   **b. The location in <CONNECT_HOME>/appserv/common/AddInInfo.xml will have to be updated like below:** ( Do not change the below if the addinLocation value is '**default**', like: <m id="addInLocation" platform="Windows">**default**</m>)

   from:

   ```
   <m id=”addInLocation” platform=”Windows”>/common/addin/setup.exe</m>
   <m id=”addInLocation” platform=”Mac OS 10″>/common/addin/AdobeConnectAddin.z</m>
   ```

   to: (changes marked in RED)

   ```
   <m id=”addInLocation” platform=”Windows”>/common/addin/ConnectSetup.exe</m>
   <m id=”addInLocation” platform=”Mac OS 10″>/common/addin/AdobeConnect_982.437.dmg</m>
   ```

   ,where AdobeConnect_982.437.dmg is the name of dmg file downloaded in step 3.a

4. Repeat Steps 1&2&3 on all the application servers.

## Rollback

1. Replace the backed up AddInInfo.xml on the following location: <CONNECT_HOME>/appserv/common/AddInInfo.xml.

2. Rollback needs to be done on all the application servers.